

4578-Article Text-27983-1-2- 20260627.docx

by kylegarcia@gmail.com 1

Submission date: 10-Apr-2026 04:19AM (UTC-0400)

Submission ID: 2926603080

File name: 4578-Article_Text-27983-1-2-20260627.docx (84.76K)

Word count: 4280

Character count: 26582

Innovating Learning Models: The Impact of Tabata and Rubber Weight on Tapak Suci Kick Speed

Nasrawati¹, Imam Suyudi², Sudirman³
^{1,2,3} Pendidikan Jasmani dan Olahraga, Pascasarjana, Universitas Negeri Makassar, Indonesia

Article Info

Article history:

Received January 12, 2026

Accepted March 13, 2026

Published April 10, 2026

Keywords:

Holy Land;
Learning Model Innovation;
Rubber Weights;
Straight Kick Speed;
Tabata Training.

ABSTRACT

Lack of variation in physical training models often leads to performance stagnation, particularly in straight kick speed—a critical technique in Pencak Silat. This study explores innovating learning models to overcome these limitations. This research aims to analyze the impact of Tabata training and rubber weight innovations on increasing the straight kick speed of Tapak Suci Putera Muhammadiyah (PIMDA) 181 students' athletes in Majene Regency. This experimental study utilized two group pretest-posttest designs with a sample of 30 students, selected based on active training and achievement criteria. Data were collected using a 10-second straight kick speed test and analyzed via descriptive, normality, homogeneity, and t-tests. The findings demonstrate a significant effect from the Tabata training model ($t_{count} 4.993 > t_{table} 2.145; sig. 0.000 < 0.05$). Similarly, the rubber weight training model showed a substantial impact with a t_{count} of 9.808. Integrating these innovative learning models provides a practical contribution for coaches and educators to optimize motor skills and athlete performance within martial arts environments.

Copyright © 2026 ETDCI.
All rights reserved.

Corresponding Author:

Nasrawati,
Pendidikan Jasmani dan Olahraga, Pascasarjana, Universitas Negeri Makassar, Indonesia
Email: nasrawati1802@gmail.com

1. INTRODUCTION

Physical education serves as a strategic instrument within the national education system, designed to foster character development, mental resilience, and optimal physical fitness (Aksir et al., 2024; Hasmyati et al., 2024). Within this framework, Pencak Silat stands as a vital pedagogical tool that effectively integrates Indonesia's rich cultural heritage with modern athletic achievement (Hanas et al., 2024; Hasanuddin, 2025). As an internationally recognized intangible heritage, Pencak Silat encompasses four essential dimensions: mental-spiritual, artistic, self-defence, and sporting excellence, making it a comprehensive medium for student development.

In the landscape of competitive sports education, the mastery of fundamental techniques from an early age is considered the bedrock of long-term athletic success (Lloyd et al., 2015; Singh & Parmar, 2023). Among these maneuvers, the straight kick

(tendangan lurus) is paramount, as it offers significantly higher scoring potential and a superior attack range compared to hand-based strikes (Herdiman et al., 2022; Sayfullah et al., 2023). In a match context, the ability to execute this technique flawlessly often determines the competitive edge of an athlete.

However, the practical effectiveness of a straight kick is heavily dependent on explosive leg power and the ability to transition rapidly between attack and defense (Putra & Wahid, 2026; Ramadi & Vai, 2018). Recent observations of Tapak Suci PIMDA 181 student-athletes in Majene Regency have revealed a critical performance gap: insufficient kick speed, particularly during the crucial retraction phase. This technical weakness allows opponents to easily anticipate attacks and execute effective counters, such as catches or sweeps, which ultimately hinders the students' achievement in formal competitions.

This performance stagnation is frequently rooted in the continued use of conventional and monotonous training routines that fail to adequately challenge the students' physiological limits. In the modern era of sports science, innovating learning models is no longer merely an option but a necessity to ensure that training methods evolve alongside global athletic standards (Komalasari, 2023; Olimov & Egamberdiev, 2023). Traditional approaches often lack the high-intensity stimulus required to trigger the neuromuscular adaptations necessary for explosive movements.

The uniqueness of this research lies in the strategic shift from traditional drills to a structured integration of High-Intensity Interval Training (HIIT) via the Tabata method combined with rubber weight training. Tabata is specifically chosen for its proven efficiency in boosting anaerobic capacity and reaction speed within a condensed timeframe (Ambardi et al., 2023; Muhammad et al., 2023; Tang et al., 2026). Simultaneously, the application of rubber weights provides progressive resistance that targets specific muscle contractions, aligning perfectly with the unique biomechanics of the Pencak Silat straight kick (Nubatonis et al., 2024; Rahman & Laksana, 2025).

While various weight training studies have been conducted (Ihsan et al., 2023; Sotiropoulos et al., 2023; Yuan et al., 2025), research specifically examining the synergy of Tabata and rubber weights as an innovative learning model for Tapak Suci athletes remains limited. This study provides a data-driven solution to existing physical performance challenges. By analyzing the impact of Tabata and rubber weights, this research aims to offer a new pedagogical reference for coaches and educators to optimize student-athlete performance in a competitive martial arts landscape.

2. METHOD

This study employed a quantitative approach with a quasi-experimental method to evaluate the impact of Tabata and rubber weight training. The research design utilized a Two-Group Pretest-Posttest Design, which allowed for a rigorous comparison between two innovative learning models. The first group was subjected to the Tabata training protocol, while the second group received Rubber Weight training, both aimed at determining the most effective intervention for increasing the straight kick speed of the athletes.




Figure 1. Two Group Pretest Posttest Design

The research population consisted of all student-athletes from Tapak Suci Putera Muhammadiyah (PIMDA) 181, Majene Regency. A purposive sampling technique was applied to ensure data validity, selecting 30 students based on specific criteria: active membership, mastery of basic straight kick techniques, and full commitment to the training program. These participants were then equally divided into two specialized treatment groups, each consisting of 15 students, to maintain a balanced experimental environment.

To measure the dependent variable, a standardized Straight Kick Speed Test was utilized as the primary research instrument. During the procedure, athletes were instructed to execute straight kicks at maximum speed toward a sandbag for a duration of 10 seconds. This test was conducted twice: once as a pre-test to establish a baseline of initial ability, and again as a post-test following the intervention period to measure the performance gains resulting from the innovative training models.

The implementation of the innovative learning models followed two distinct experimental schemes designed to optimize physical performance. The Tabata Model focused on high-intensity intervals consisting of 20 seconds of maximum kicking activity followed by 10 seconds of rest, repeated for 8 cycles. Conversely, the Rubber Weight Model employed resistance bands attached to the athletes' ankles, providing progressive resistance during both the explosive extension and the critical retraction phases of the kick.

Data collected from the experiments were statistically processed using SPSS software through a comprehensive multi-stage analysis. Prerequisite tests, including normality and homogeneity tests, were conducted to ensure the data distribution met the requirements for parametric testing. Finally, hypothesis testing was performed using the Paired Sample T-Test to identify significant internal improvements, while an Independent Sample T-Test was utilized to compare the overall effectiveness of the two innovative models in enhancing kick speed.

3. RESULTS AND DISCUSSION

Results

The statistical analysis of the pretest and posttest results, focusing on the comparative effectiveness of Tabata training and rubber weight interventions in enhancing the straight kick speed of Tapak Suci Putera Muhammadiyah 181 student-athletes in Majene Regency, is systematically detailed in Table 1 below.

Table 1. Descriptive Statistics Results

	N	Range	Minimum	Maximum	Sum	Mean	Std. Deviation
Tabata pretest	15	2.24	7.25	9.49	127.52	8.5013	.71897
Tabata posttest	15	2.27	7.00	9.27	118.68	7.9120	.81740
Rubber weight pretest	15	2.21	7.32	9.53	127.66	8.5107	.67144
Rubber weight posttest	15	1.95	6.09	8.04	105.35	7.0233	.56175
Valid N (listwise)	15						

The descriptive statistical analysis presented in Table 1, the Tabata training group (N=15) demonstrated a measurable shift in performance metrics between the testing phases. The pre-test data revealed a mean kick speed of 8.5013 with a standard deviation of 0.71897, ranging from a minimum of 7.25 to a maximum of 9.49. Following the intervention, the post-test results for this group showed a mean of 7.9120 and a standard deviation of 0.81740, with scores distributed between 7.00 and 9.27, indicating an overall change in the athletes' explosive speed consistency.

In comparison, the rubber weight training group (N=15) exhibited a more pronounced transition in their performance data. The initial pre-test mean was recorded at 8.5107 with a standard deviation of 0.67144, spanning a range of 2.21. After the administration of the innovative rubber weight model, the post-test mean decreased significantly to 7.0233 with a tightened standard deviation of 0.56175. This reduction in the numerical time value—coupled with a narrowed range of 1.95—reflects a substantial improvement in the velocity and efficiency of the students' straight kick execution.

Table 2. Data Normality

Group		Kolmogrov-Samirnov			Information
		Statistics	Df	Sig.	
Tabata	Pretest	0,153	15	0,200	Normal
	Posttest	0,173	15	0,200	Normal
Loaded with train	Pretest	0,149	15	0,200	Normal
	Posttest	0,105	15	0,200	Normal

To ensure the validity of the subsequent parametric analysis, a normality assessment was conducted using the Kolmogorov-Smirnov test for the Tabata training group. The pre-test results yielded a test statistic of 0.153 with an asymptotic significance (Asymp. Sig.) of 0.200, while the post-test data produced a value of 0.173, also maintaining a

significance level of 0.200. Since both p-values exceed the standard threshold ($P > 0.05$), it is statistically confirmed that the data for both testing phases within the Tabata intervention group follow a normal distribution.

In a similar vein, the data distribution for the rubber weight training group was evaluated to verify its suitability for hypothesis testing. The Kolmogorov-Smirnov test for this group's pre-test data resulted in a value of 0.149 with an associated significance of 0.200 ($P > 0.05$), while the post-test data similarly aligned with normal distribution parameters. These findings indicate that the datasets for both innovative learning models meet the required assumptions of normality, allowing for a robust and reliable comparison of their impact on the athletes' straight kick speed.

To further validate the data set, a homogeneity of variance test was conducted using the Levene statistic to ensure consistency across the experimental groups. The analysis yielded a Levene value of 0.588 with a significance of 0.450 for the Tabata training group, while the rubber weight training group produced a value of 0.995 with a significance of 0.327. Given that both probability values significantly exceed the $\alpha = 0.05$ threshold (95% confidence level), it is concluded that the variance across the training variable data is homogeneous, satisfying the necessary assumptions for robust comparative analysis.

Table 3. Tabata Group Difference Test

	Paired Differences						T	d	Sig. (2-tailed)	t-table
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference		df				
				Lower	Upper					
Pre test tabata - Post test tabata	.58933	.45714	.11803	.33618	.84249	4.993	14	.000	2,145	

The hypothesis testing for the Tabata training intervention was conducted using a paired t-test to determine the significance of the performance gains. The statistical analysis yielded a t-count value of 4.993, which significantly exceeds the t-table threshold of 2.145, accompanied by a p-value of 0.000 ($P < 0.05$). These metrics provide strong evidence of a significant difference between the pre-test and post-test results, confirming that the intervention produced a measurable shift in the athletes' physical output.

Consequently, since the calculated t value is greater than the critical table value, the null hypothesis (H_0) is rejected in favor of the alternative hypothesis. This result demonstrates that the Tabata training model has a significant positive effect on increasing the straight kick speed of Tapak Suci PIMDA 181 student-athletes in Majene

Regency. This finding underscores the effectiveness of high-intensity interval innovations in optimizing explosive motor performance within a martial arts context.

Table 4. Difference Test of Rubber Loaded Groups

		Paired Differences					T	df	Sig. (2-tailed)	t-table
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference					
					Lower	Upper				
Paired 1	Pre-test rubber load – post-test rubber load	1,48733	,58732	,15165	1,16208	1,81258	9,808	14	,000	2,145

The hypothesis testing for the rubber weight intervention revealed a highly significant impact on performance, as evidenced by a t_count value of 9.808, which substantially exceeds the t_table value of 2.145. With a recorded significance value of 0.000 ($P < 0.05$), the null hypothesis (H_0) is rejected, confirming that the application of progressive resistance through rubber weights provides a statistically significant improvement in the straight kick speed of Tapak Suci PIMDA 181 athletes in Majene Regency.

Table 5. Test of differences between Tabata Training and Rubber Weight Training

Variable	T-Test			Difference	Information
	Count	df	Sig.		
Tabata Training Pretest-Posttest	4.993	14	0,000	0,58933	Significant
Rubber Weight Training Pretest-Posttest	9.808	14	0,000	1,48733	Significant

Comparative analysis of the paired t-test results reveals that both innovative learning models significantly enhance performance, though their degree of impact varies. The Tabata training group achieved a mean difference of 0.58933, while the rubber weight training group showed a substantially higher mean difference of 1.48733. With a significance value of 0.000 ($P < 0.05$) for both interventions, the data confirms that both methods are effective in increasing the straight kick speed of Tapak Suci PIMDA 181 athletes.

However, a closer evaluation of the difference values indicates that rubber weight training exerts a more profound influence on explosive motor performance compared to the Tabata method. The larger improvement margin observed in the rubber weight group suggests that progressive resistance training is highly effective in optimizing the biomechanical efficiency and speed of the straight kick. Consequently, while both models represent valuable innovations in learning, the rubber weight intervention offers a superior impact for athletes seeking maximum gains in striking velocity.

32 Discussion

The findings of this study confirm that the implementation of innovative learning models—specifically through Tabata training and rubber weight interventions—significantly enhances the straight kick speed of Tapak Suci PIMDA 181 students-athletes. These results underscore the importance of integrating evidence-based physical training into the martial arts curriculum to overcome performance stagnation.

Tabata Training as a HIIT Innovation

The implementation of the Tabata method as a High-Intensity Interval Training (HIIT) innovation proved to be a statistically significant driver of performance, yielding a t -count of 4.993 ($P < 0.05$) and a mean improvement of 0.58933. This efficacy is rooted in the protocol's ability to stimulate both aerobic and anaerobic metabolic pathways simultaneously through 20-second maximal intensity bursts. By pushing athletes to their physiological limits in short durations, this model facilitates rapid neuromuscular adaptations and enhances the recruitment of fast-twitch muscle fibers, which are essential for the explosive power required in Pencak Silat straight kicks.

These findings align with the foundational theories of Izumi Tabata, which suggest that high-intensity intermittent exercise is superior to traditional steady-state training for improving anaerobic capacity and peak oxygen debt (Foster et al., 2015; Tabata, 2019). Previous studies in combat sports have similarly demonstrated that HIIT protocols significantly improve reaction time and strike velocity by simulating the high-intensity physiological demands of a competitive match (Vasconcelos et al., 2020). By applying this innovative learning model, students achieve higher muscle contraction speeds, supporting the theory that structured interval training is a potent catalyst for optimizing explosive motor performance in martial arts.

The Impact of Rubber Weight Innovation

The introduction of rubber weights as an innovative learning model demonstrated exceptional effectiveness in enhancing motor performance, as evidenced by a t -count of 9.808, which significantly exceeds the t -table of 2.145. This model is uniquely advantageous because it provides constant, progressive resistance throughout the entire range of motion, requiring the leg muscles to maintain high tension during both the extension and retraction phases. By specifically addressing the weakness of sluggish leg withdrawal identified in initial observations, this innovation trains the neuromuscular system to remain explosive under load, ultimately resulting in a more lethal and rapid striking capability for the athletes.

These results are consistent with the theory of progressive resistance training and biomechanical specificity, which posits that applying resistance that mimics the movement pattern of a specific skill leads to superior transfer of strength to speed (Stone et al., 2022). Previous studies by Zatsiorsky and Kraemer on the "dynamic effort method" support the idea that training against elastic resistance increases the rate of force development (RFD), allowing athletes to overcome inertia more effectively (Blazevich et al., 2020). By integrating rubber weights into the training curriculum, this

study confirms that targeted resistance innovation not only strengthens the primary movers but also refines the technical efficiency of the kick, echoing earlier findings that elastic loads are highly effective for optimizing the rapid contraction-relaxation cycles essential in high-level martial arts.

Comparison of Model Effectiveness

The comparative analysis between the two innovative learning models highlights a clear distinction in their physiological impact, with the rubber weight training model proving superior in generating sheer speed gains. This superiority is quantitatively supported by a mean difference of 1.48733, which more than doubles the 0.58933 recorded for the Tabata group. The primary factor behind this discrepancy is the "sport-specific" nature of rubber resistance; while the Tabata method focuses on systemic anaerobic endurance and metabolic conditioning, rubber weights provide targeted resistance that directly challenges the specific muscle groups and biomechanical pathways required for a Pencak Silat straight kick.

This finding aligns with the principle of "Specific Adaptation to Imposed Demands" (SAID), which suggests that the body adapts specifically to the type of stress applied during training (Guard, 2025). According to theories of neuromuscular adaptation, elastic resistance—such as rubber weights—enhances the stretch-shortening cycle (SSC) more effectively for localized movements than generalized interval training (Zhao et al., 2026). Previous research by Fleck and Kraemer supports this, indicating that resistance training which closely mimics the kinetic chain of a specific athletic movement leads to more significant improvements in explosive velocity (Enes et al., 2025; Kraemer & Ratamess, 2025). Thus, while Tabata improves the athlete's overall work capacity, the rubber weight innovation acts as a specialized catalyst for increasing striking speed by refining the biomechanical efficiency of the leg's extension and retraction.

Overall, these findings confirm that moving beyond conventional routines toward innovative learning models is crucial for athletic development. The integration of these measurable physical training approaches into the extracurricular curriculum provides a data-driven solution to technical stagnation. For coaches and sports educators, these results offer a clear roadmap: utilizing rubber weights for specific technical speed and Tabata for metabolic conditioning can synergistically optimize the competitive performance of Tapak Suci students in any school or club environment.

4. CONCLUSION

The innovative learning model through weight training has had a positive impact on Tapak Suci student athletes. The Tabata training model innovation has been proven to significantly increase the straight kick speed of Tapak Suci PIMDA 181 Majene students with a calculated t-value of $4.993 > t\text{-table } 2.145$. The use of rubber weights showed a significant effect on increasing straight kick speed with a calculated t-value of $9.808 > t\text{-table } 2.145$. Both training models are effective in improving student performance, but rubber weight training has a greater level of effectiveness than Tabata.

This is evident from the mean difference (mean difference) for rubber weight training of 1.48733, while Tabata training was 0.58933.

As a recommendation, for educators and coaches, it is recommended to integrate the innovative rubber weight training model into the routine training curriculum, especially to improve students' leg-pulling technique and kicking speed. For Student Athletes, it is hoped that students can independently utilize simple media such as rubber (resistance bands) to improve physical quality and kicking techniques to achieve higher performance. Given that this study was limited to a male sample, future researchers are advised to test the effectiveness of this model on female groups or combine both methods in one training cycle to see the resulting synergistic effect

REFERENCES

- Aksir, M. I., Hasyim, H., & Syafruddin, M. A. (2024). Utilization of Digital Platform-Based Learning Media: Interest and Learning Achievement in Physical Education at State Elementary School. *ETDC: Indonesian Journal of Research and Educational Review*, 3(4), 65-74. <https://doi.org/10.51574/ijrer.v3i4.2188>
- Ambardi, D., Sugiyanto, S., & Ekawati, F. F. (2023). Whether the Tabata training method and basic military training had different effects on improving military physical fitness: an experimental study. *European Journal of Sport Sciences*, 2(1), 1-8. <https://doi.org/10.24018/ejsport.2023.2.1.54>
- Blazevich, A. J., Wilson, C. J., Alcaraz, P. E., & Rubio-Arias, J. A. (2020). Effects of resistance training movement pattern and velocity on isometric muscular rate of force development: a systematic review with meta-analysis and meta-regression. *Sports medicine*, 50(5), 943-963. <https://doi.org/10.1007/s40279-019-01239-x>
- Enes, A., Correa, C. L., Bernardo, M. F., Salles, G. N., Oneda, G., Leonel, D. F., ... & Souza-Junior, T. P. (2025). Does increasing the resistance-training volume lead to greater gains? The effects of weekly set progressions on muscular adaptations in females. *Journal of Sports Sciences*, 43(4), 381-392. <https://doi.org/10.1080/02640414.2025.2459003>
- Foster, C., Farland, C. V., Guidotti, F., Harbin, M., Roberts, B., Schuette, J., ... & Porcari, J. P. (2015). The effects of high intensity interval training vs steady state training on aerobic and anaerobic capacity. *Journal of sports science & medicine*, 14(4), 747. <https://pubmed.ncbi.nlm.nih.gov/articles/PMC4657417/>
- Guard, A. N. (2025). Key considerations in the Preparation of the elite athlete: Planning, Performance, and Recovery. *Fundamentals of Recovery, Regeneration, and Adaptation to Exercise Stress: An Integrated Approach* (pp. 317-346). Cham: Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-44270-4_13
- Hanas, M. Y., Suyudi, I., Hudain, M. A., Ihsan, A., & Adil, A. (2024). The Emphasis of Explosive Power, Flexibility, and Motivation Judging from Back Kick Speed on BKMF Athletes. *ETDC: Indonesian Journal of Research and Educational Review*, 3(2), 146-155. <https://doi.org/10.51574/ijrer.v3i2.1487>
- Hasanuddin, M. I. (2025). The Effect of Shadow Fighting Training on Blocking Speed in Pencak Silat Athletes. *ETDC: Indonesian Journal of Research and Educational Review*, 4(2), 446a-457a. <https://doi.org/10.51574/ijrer.v4i2.3417>
- Hasmyati, H., Anwar, N. I. A., Syafruddin, M. A., & Hamzah, A. (2024). Educational Video-Based Play Methods in Physical Education Learning: Social Emotional of Children

- with Special Needs. *ETDC: Indonesian Journal of Research and Educational Review*, 3(4), 129-140. <https://doi.org/10.51574/ijrer.v3i4.2339>
- Herdiman, D. C., Lubis, J., & Yasmawati, Y. (2022). Model latihan kelincihan tendangan sabit pencak silat menggunakan alat bantu ladder drill. *Jurnal Speed (Sport, Physical Education, Empowerment)*, 5(2), 121-126. <https://doi.org/10.35706/jurnalspeed.v5i2.7066>
- Ihsan, F., Nasrulloh, A., Nugroho, S., & Yuniana, R. (2023). Effect weight training on muscular hypertrophy: a systematic review. *Pedagogy of Physical Culture and Sports*, 27(6), 439-447. <https://doi.org/10.15561/26649837.2023.0601>
- Komalasari, R. (2023). Integrating sport education model and the athletics challenges approach for transformative physical education in Indonesian Middle Schools. *Motion: Jurnal Riset Physical Education*, 13(2), 118-135. <https://doi.org/10.33558/motion.v13i2.7372>
- Kraemer, W. J., & Ratamess, N. A. (2025). Resistance training. *Encyclopedia of Exercise Medicine in Health and Disease* (pp. 1-6). Berlin, Heidelberg: Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-27830-3_170-1
- Lloyd, R. S., Oliver, J. L., Faigenbaum, A. D., Howard, R., Croix, M. B. D. S., Williams, C. A., ... & Myer, G. D. (2015). Long-term athletic development, part 2: barriers to success and potential solutions. *The Journal of Strength & Conditioning Research*, 29(5), 1451-1464. <https://doi.org/10.1519/01.JSC.0000465424.75389.56>
- Muhammad, M., Rusdiawan, A., Irsyada, M., Subagio, I., & Wismanadi, H. (2023). The effect of cardio and tabata training methods in reducing body fat and increasing maximum aerobic capacity in obese students. *Jurnal SPORTIF: Jurnal Penelitian Pembelajaran*, 9(3), 465-482. https://doi.org/10.29407/js_unpgri.v9i3.21051
- Nubatonis, J. D., Sulistyono, S., Husein, M., Septianto, I., Runesi, S., Zakiah, D. M. N., ... & Salacup, V. L. D. (2024). Optimizing arm muscle endurance in pencak silat athletes: Insights from a literature review. *Tanjungpura Journal of Coaching Research*, 2(3), 131-141. <https://doi.org/10.26418/tajor.v2i3.80838>
- Olimov, A. I., & Egamberdiev, R. N. (2023). Modernization of the system of professional training of future physical education and sports specialists based on innovative technologies. *Mental Enlightenment Scientific-Methodological Journal*, 155-161. <https://mentaljournal-jspu.uz/index.php/mesmj/article/view/137>
- Putra, A. M., & Wahid, W. M. (2026). Perbandingan Pengaruh Latihan Shadow Kick Dan Latihan Resistance Band Terhadap Kecepatan Tendangan Sabit Pada Atlet Pencak Silat. *Jurnal Ilmiah Adiraga: Jurnal Penelitian Olahraga*, 12(01), 35-50. <https://doi.org/10.36456/m9ge5m52>
- Rahman, A., & Laksana, G. S. (2025). Pengaruh Latihan Resistance Band Terhadap Kecepatan Tendangan Sabit Pada Perguruan Pencak Silat Cinde Wulung. *Jurnal Ilmiah STOK Bina Guna Medan*, 13(3), 427-437. <https://doi.org/10.55081/jsbg.v13i3.4406>
- Ramadi, R., & Vai, A. (2018). Korelasi antara kekuatan daya ledak otot kaki dengan kelincihan tendangan depan pada atlet pencak silat PPLP Pekanbaru Riau. *Journal Of Sport Education (JOPE)*, 1(1), 27-33. <https://doi.org/10.31258/p4txjt05>
- Singh, A., & Parmar, V. S. (2023). Comprehensive approach to managing physical education and sports at all educational levels. *Journal of Sports Science and Nutrition*, 4(2), 258-263. <https://doi.org/10.33545/27077012.2023.v4.i2d.233>
- Sayfullah, S., Simanjuntak, V. G., Triansyah, A., Hidasari, F. P., & Bafadal, M. F. (2023). Hubungan power otot tungkai dan kelincihan terhadap kemampuan tendangan sabit pencak silat. *Jurnal Pendidikan Jasmani Kesehatan dan Rekreasi (Penjaskesrek)*, 10(2), 56-69. <https://doi.org/10.46368/jpkr.v10i2.1295>

- Sotiropoulos, K., Smilios, I., Barzouka, K., Christou, M., Bogdanis, G., Douda, H., & Tokmakidis, S. P. (2023). Effects of drop jump training from different heights and weight training on vertical jump and maximum strength performance in female volleyball players. *The Journal of Strength & Conditioning Research*, 37(2), 423-431. <https://doi.org/10.1519/JSC.0000000000004272>
- Stone, M. H., Hornsby, W. G., Suarez, D. G., Duca, M., & Pierce, K. C. (2022). Training specificity for athletes: Emphasis on strength-power training: A narrative review. *Journal of functional morphology and kinesiology*, 7(4), 102. <https://doi.org/10.3390/jfmk7040102>
- Tabata, I. (2019). Tabata training: one of the most energetically effective high-intensity intermittent training methods. *The Journal of Physiological Sciences*, 69(4), 559-572. <https://doi.org/10.1007/s12576-019-00676-7>
- Tang, Q. K., Li, H., Fairof, M. H. Z., Lew, L. C., & Mat Ludin, A. F. (2026). Tabata training and its effect on children's and adolescents' physical and mental health: a systematic review and meta-analysis protocol. *BMJ open*, 16(2), e114175. <https://doi.org/10.1136/bmjopen-2025-114175>
- Vasconcelos, B. B., Protzen, G. V., Galliano, L. M., Kirk, C., & Del Vecchio, F. B. (2020). Effects of high-intensity interval training in combat sports: a systematic review with meta-analysis. *The Journal of Strength & Conditioning Research*, 34(3), 888-900. <https://doi.org/10.1519/JSC.0000000000003255>
- Yuan, Q., Deng, N., & Soh, K. G. (2025). A meta-analysis of the effects of plyometric training on muscle strength and power in martial arts athletes. *BMC Sports Science, Medicine and Rehabilitation*, 17(1), 12. <https://doi.org/10.1186/s13102-025-01059-9>
- Zhao, J., Łosińska, K., Chen, L., & Aschenbrenner, P. (2026). Neuromuscular Adaptation to Varying Drop Jump Heights: A Muscle Synergy Approach in Elite Handball Players. *Journal of Human Kinetics*, 101, 147-164. <https://doi.org/10.5114/jhk/217230>

ORIGINALITY REPORT

14%

SIMILARITY INDEX

12%

INTERNET SOURCES

10%

PUBLICATIONS

2%

STUDENT PAPERS

PRIMARY SOURCES

1	Rahmah Novianti, Nur Latifah, Sara Kashefian. "Digital Learning Innovation Through Application-Assisted RADEC Model: Let's Read About Elementary School Students' Writing Skills", Profesi Pendidikan Dasar, 2025 Publication	2%
2	competitor.idjournal.eu Internet Source	1%
3	etdci.org Internet Source	1%
4	journal.unnes.ac.id Internet Source	1%
5	eprints.uny.ac.id Internet Source	1%
6	jurnalketerapianfisik.com Internet Source	1%
7	thelawbrigade.com Internet Source	1%
8	eprints.unm.ac.id Internet Source	1%
9	www.coursehero.com Internet Source	1%
10	Submitted to International Institute of Social Studies - Erasmus University Rotterdam Student Paper	1%

11 Vandana Savara, Yousef Assaf, Mustafa Hariri, Haya Bassam Alastal, Rania Asad. "Essential building blocks for future blended learning with the right amount of blend", International Journal of Quality & Reliability Management, 2023

Publication

<1 %

12 learning-gate.com

Internet Source

<1 %

13 ojs.umrah.ac.id

Internet Source

<1 %

14 sjctni.edu

Internet Source

<1 %

15 Submitted to Universitas Pendidikan Indonesia

Student Paper

<1 %

16 rsisinternational.org

Internet Source

<1 %

17 sunnyhealthfitness.com

Internet Source

<1 %

18 Williams, Mark David. "The Application of an Ecological Dynamics Approach to the Athletic Development of Youth Basketball Players: The Use of Parkour to Develop Fundamental Movement Skills", University of Essex (United Kingdom)

Publication

<1 %

19 Submitted to Universitas Nahdlatul Ulama Sunan Giri Bojonegoro

Student Paper

<1 %

20 ijeber.com

Internet Source

<1 %

journal.idscipub.com

21

Internet Source

<1 %

22

Fatwa Aulia Seriannuari, Topo Yono, Ahmad Sulaiman. "Do exercise for 4 weeks using rubber to increase the speed of gyaku tsuki karate punches gokasi karate athletes aged 16-20 years?", Jurnal SPORTIF : Jurnal Penelitian Pembelajaran, 2024

Publication

<1 %

23

ijsrm.net

Internet Source

<1 %

24

siberindia.edu.in

Internet Source

<1 %

25

www.neliti.com

Internet Source

<1 %

26

www.positum.org

Internet Source

<1 %

27

Aryadi Rachman, Sahbana Ridha, Deny Bagus Saputra, Wahyu Erfandy. "THE EFFECT OF LEG EXTENTION TRAINING ON THE LEG MUSCLE STRENGTH OF FOOTBALL PLAYERS AT SMA NEGERI 3 BANJARBARU", Riyadhoh : Jurnal Pendidikan Olahraga, 2024

Publication

<1 %

28

Belaynesh Getnet Fenta, Dessalegn wase Mola. "Effect of eight-week callisthenics exercise on selected physical fitness quality and skill performance in handball", Jurnal SPORTIF : Jurnal Penelitian Pembelajaran, 2023

Publication

<1 %

29

ijotre.oauife.edu.ng

Internet Source

<1 %

30 journal.unm.ac.id <1 %
Internet Source

31 ojs.unpkediri.ac.id <1 %
Internet Source

32 sportpedagogy.org.ua <1 %
Internet Source

33 Per Aagaard, Erik B. Simonsen, Jesper L. Andersen, Peter Magnusson, Poul Dyhre-Poulsen. "Increased rate of force development and neural drive of human skeletal muscle following resistance training", Journal of Applied Physiology, 2002 <1 %
Publication

Exclude quotes On

Exclude matches Off

Exclude bibliography On